

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	("5892540").PN.	US- PGPUB; USPAT; USOCR	OR	OFF	2008/12/07 15:18
L2	48	parallel same capacitance\$1 and 250/214a.ccls. and dynamic with range	US- PGPUB; USPAT	OR	OFF	2008/12/07 15:24
L3	217461	capaci\$4 and dynamic	US- PGPUB; USPAT	OR	OFF	2008/12/07 15:24
L4	3232	hamamatsu near2 photonics	US- PGPUB; USPAT	OR	OFF	2008/12/07 15:24
L5	191	L4 and capaci\$4 and dynamic	US- PGPUB; USPAT	OR	OFF	2008/12/07 15:24
L6	3232	hamamatsu near2 photonics	US- PGPUB; USPAT	OR	OFF	2008/12/07 15:24
L7	1565	(348/294,608,301,307).CCLS.	US- PGPUB; USPAT; USOCR	OR	OFF	2008/12/07 15:24

L8	270	(250/214ag).CCLS.	US- PGPUB; USPAT; USOCR	OR	OFF	2008/12/07 15:24
L9	758	(250/214a).CCLS.	US- PGPUB; USPAT; USOCR	OR	OFF	2008/12/07 15:24
L10	4191	(250/214r).CCLS.	US- PGPUB; USPAT; USOCR	OR	OFF	2008/12/07 15:24
L11	1	("7442911").PN.	US- PGPUB; USPAT; USOCR	OR	OFF	2008/12/07 15:35
L12	1	("20060197083").PN.	US- PGPUB; USPAT; USOCR	OR	OFF	2008/12/07 15:50
L13	1	("7286172").PN.	US- PGPUB; USPAT; USOCR	OR	OFF	2008/12/07 16:21
L14	48	parallel same capacitance\$1 and 250/214a.ccls. and dynamic with range	US- PGPUB; USPAT	OR	ON	2008/12/07 16:35

L15	1029	switch\$4 same variable with capacitance\$5 and (dynamic near2 range dark near2 current\$1)	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/07 16:35
L16	342	L15 and integrat\$4 near2 circuit and diode\$1	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/07 16:35
L17	4191	(250/214R).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/07 16:53
L18	217	17 and 3	US-PGPUB; USPAT	OR	OFF	2008/12/07 16:53
L19	5365	(250/214LS,214A,208.1).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/07 16:57
L20	0	1 and 4	US-PGPUB; USPAT	OR	OFF	2008/12/07 16:57
L21	34	19 and 4	US-PGPUB; USPAT	OR	OFF	2008/12/07 16:57

12/7/08 5:00:04 PM

C:\Documents and Settings\tko\My Documents\EAST\Workspaces\10540476.wsp